

U.S. Graduate Students' Prevalence of Post-Traumatic Stress Symptoms during the COVID-19 Pandemic

Garret H. Gowen
Iowa State University

Kelly E. Knight
Montana State University

Thomas R. Brooks
Texas A&M University-Commerce

Colter Ellis
Montana State University

Craig A. Ogilvie
Montana State University

Rosemary J. Perez
University of Michigan

Sarah L. Rodriguez
Texas A&M University-Commerce

Nina Schweppe
Montana State University

Laura L. Smith
University of Michigan-Flint

Rachel A. Smith
Iowa State University

Funding Acknowledgement: National Science Foundation Grant No. 2030313

ABSTRACT

Work assessing the psychological impacts of COVID-19 on university student populations has most often focused on undergraduates. To assess the impacts on graduate students and inform university-led solutions to foster support, this study examines the extent to which students pursuing a doctorate, master's, or other professional degree exhibited post-traumatic stress symptoms (PTSS) during the height of the COVID-19 pandemic. We surveyed graduate students at 12 U.S. universities and analyzed 4,036 survey responses. Thirty-one percent of respondents described experiencing PTSS. Women students and those from historically marginalized racial groups reported greater PTSS than male students and White students. PTSS were correlated with food and housing insecurity, concerns about career plans, and extended degree timelines. PTSS were lower for students who felt supported by advisors and institutional policy changes. Combined with CDC trauma guidelines, our results provide an understanding of graduate students' vulnerability to trauma-related disorders and suggest actions universities can take to provide support.

Keywords: COVID-19, Post-Traumatic Stress, Graduate Students, Mental Health, Pandemic, Higher Education

The COVID-19 pandemic has radically disrupted society, including the functioning of higher education (Marinoni et al., 2020). This pandemic, like previous calamities, is likely to have lasting psychological consequences (Adams & Boscarino, 2006; Beaglehole et al., 2018; Sahu, 2020). Graduate students experienced disruption in their classrooms, research sites, and research collaborations (Stewart et al., 2021; Ogilvie et al., 2020), and, in some cases, graduate students took on additional caretaking responsibilities (Kee, 2021; Levine et al., 2021). The stress of these events has exacerbated the already troubling mental health crisis in graduate education (Evans et al., 2018). Before the pandemic, over half of graduate students reported high stress levels, up to 40% of graduate students suffered from anxiety and depression (Evans et al., 2018; Woolston, 2017), and over one third of doctoral students sought help for anxiety and depression (Woolston, 2019). Recent studies of students indicate that levels of anxiety or depression have increased by approximately 10% during the pandemic (Chirikov et al., 2020). These impacts are likely more significant for graduate students with marginalized identities, such as students of color, low-income students, women, and LGBTQ+ students, who are often already struggling with existing inequalities (Figueroa & Hurtado, 2013; Gildersleeve et al., 2011; Ong et al., 2011; Burt et al., 2019; Perez et al., 2020; Posselt, 2020). The cumulative impact of the pandemic, preexisting mental health concerns (including past traumas), and persistent social inequities may lead to post-traumatic stress symptoms (PTSS).

Trauma is associated with a dysregulation in the autonomic nervous system that can result in unhealthy mental and physical responses, including increased irritability, emotional reactivity, intrusive thoughts, avoidance behaviors, and negative changes to mood (Kendall-Tackett, 2009; Wortmann et al., 2016). Although a growing body of research emphasizes the importance of trauma-informed care (Centers for Disease Control and Prevention, CDC, 2020), this approach has seen limited implementation in higher education (Davidson, 2017; Doughty, 2020; Hallett et al., 2018). Conversations have recently begun at the graduate level to advance frameworks for trauma-informed graduate education (Council of Graduate Schools & The Jed Foundation, 2021). Due in part to the lack of widespread understanding of trauma-informed education, many academic advisors and departments were unprepared to support students experiencing PTSS when the pandemic began. Over time, these students may find it difficult to complete their education (Hoch et al., 2015). Moreover, fewer graduate completions have long-term negative impacts on the scientific knowledge base and society's capacity to solve some of its most pressing challenges.

The rationale for this study was to learn the extent to which graduate students exhibited PTSS during the COVID-19 pandemic. Additionally, we examined which groups of students experienced these symptoms at higher levels, under what circumstances students reported worse symptoms, and which factors might help protect students. We focused on postsecondary institutional factors, such as policy

communication and inclusivity and interpersonal support from advisors and others. With an understanding of how PTSS affect graduate students, university leaders can take steps to protect students, as well as provide more effective support related to the longer-term condition of post-traumatic stress disorder (PTSD), wherein students continue to experience symptoms due to their experiences of COVID-19. Given our interest in examining how reports of PTSS varied by graduate students' identities and situations, experiences of institutional support, and educational and career plans, two research questions guided our study of graduate students' experiences during the COVID-19 pandemic:

1. What was the prevalence of PTSS reported among graduate students, and how did these reports differ by students' gender and race/ethnicity?
2. What experiential factors were most strongly associated with reporting PTSS?

LITERATURE REVIEW

Several studies have established significant levels of mental health problems amongst graduate students. Hyun et al. (2006) found that 46% of graduate students reported feeling overwhelmed and that 40% reported feeling exhausted either "frequently" or "all the time." Eisenberg et al. (2013) found that 14% of graduate students had a positive screen for depression, a result corroborated by another study in which 23% of graduate students reported current moderate or severe anxiety symptoms and 13% reported current moderate or severe depression symptoms (Allen et al., 2020). The level of 13% for depression was confirmed by Jones-White et al. (2020), while Wyatt and Oswalt (2013) found that 17% of graduate students reported being diagnosed with depression in the prior year. Notably, Garcia-Williams et al. (2014) found that 7% of graduate students reported thoughts of suicide and 2% reported self-harm in the prior two weeks.

A meta-analysis of studies (Mackie & Bates, 2018) examining the factors that may be contributing to these high levels of mental health problems in graduate students found connected issues, including "problems in the supervisory relationship, lack of transparency of university processes, workload, role conflict, financial insecurity and uncertain career prospects" (p. 565). These preexisting issues may have made graduate students especially vulnerable to PTSS and other trauma-related disorders resulting from the additional stress of the COVID-19 pandemic. Studies of other vulnerable populations, such as those working in healthcare (d'Ettoire et al., 2021), as grocery workers (Janson et al., 2021), and in education (Lynch, 2021), show significant increases in PTSS, anxiety, depression, and related mental health challenges during the pandemic. Graduate students have reported experiencing emotional and psychological challenges in the past two years, including feelings of anxiety, fear, and disappointment, as well as struggles related to virtual learning and teaching (Kee, 2021). In one study, over one third of graduate and professional students screened positive for major depressive disorder and generalized anxiety disorder, with rates more pronounced among low-income and racially and ethnically marginalized students (Chirikov, 2020). In addition, some graduate students reported

experiencing additional strain while attempting to balance multiple roles, such as student, faculty member, administrator, and caretaker, as the pandemic was underway (Bal, 2020). We add to this previous scholarship an analysis of the prevalence of PTSS among graduate students with an emphasis on gender and racial/ethnic differences. Although prior research demonstrates mental health problems among graduate students, this study adds an understanding of graduate students' vulnerability to trauma-related disorders.

METHODS

Graduate students from 12 U.S. public research universities participated in our study. The universities were recruited using the listservs of the Council of Graduate Schools and the Center for Integration of Research, Teaching, and Learning (CIRTL), as well as graduate school deans who are personal contacts of the study team. Participating universities varied in terms of research activity, student population, and geographic location. They included one historically Black university and two Hispanic-serving institutions. These institutions are located in states in the Northeast, Southeast, Midwest, Southwest, and Mountain West with relatively divergent policy responses to the pandemic.

Participating institutions emailed our Qualtrics questionnaire to their graduate student cohorts during June and July 2020. Items in the survey asked about students' experiences of the pandemic, their mental health (in terms of PTSS, depression, anxiety, and general well-being), their perspectives on a range of policies and practices that their universities put in place during the pandemic, and their educational and career intentions. All procedures were approved by the Institutional Research Board.

Recruitment strategies yielded 4,036 initial survey responses (3,182 completed surveys and 854 partially completed surveys) from a total of 60,247 graduate students attending the 12 institutions. The response rate was 6.7% overall and 5.3% for completed surveys. Data collection occurred following George Floyd's murder and ongoing Black Lives Matter activism, as well as during the period in July 2020 when U.S. Immigration and Customs Enforcement announced a new rule related to international student enrollment status. As a result, students' stressful experiences could be related to any number of events happening concurrently with the pandemic. Our analytic sample for the OLS regression utilized a smaller number of respondents (2,529) following multiple imputation and listwise deletion of cases with missing demographic data.

Measures

PTSS, Anxiety, and Depression

PTSS were assessed using the PTSD Checklist for DSM-5 (PCL-5; Weathers et al., 2013), a self-report questionnaire used to screen for PTSD-related symptoms. The PCL-5 includes a list of 20 symptoms that a person might have in response to a very stressful experience or ongoing stress, such as having disturbing dreams, losing

interest in previously enjoyable activities, feeling cut off from other people, struggling to fall asleep, and acting uncharacteristically irritable or aggressive. Respondents were asked to rate how often they were bothered by each symptom in the past month. The rating scale includes five response options ranging from 0 (not at all) to 4 (extremely). The PCL-5 contains items that correspond to the DSM-5 criteria for PTSD (American Psychiatric Association, 2013). Following Jordan et al. (2019), however, we selected a version of the PCL-5 that does not assess for a Criterion A trauma (i.e., a qualifying traumatic event during the respondent's lifetime), which is required for a diagnosis of PTSD as outlined by the DSM-5. Nonetheless, the 20 items in the PCL-5 format we used correspond to DSM-5 criteria for PTSD: Criterion B, symptoms of intrusion (5 questions); Criterion C, trauma-related stimuli (2 questions); Criterion D, negative thoughts and feelings (7 questions); and Criterion E, arousal symptoms (6 questions). This PCL-5 format asks respondents to think about the most stressful event experienced in the past month (Weathers et al., 2013), given the probability of having multiple ongoing stressors to choose from (e.g., the pandemic, George Floyd's murder and related activism, and challenges related to graduate school during this time and in general). A total PTSS score was obtained by summing all 20 items; possible scores range from 0 to 80 ($\alpha=0.95$). As is standard for the PCL-5 when screening for PTSD (Blevins et al., 2015), a prevalence indicator was created for respondents with a score of 33 or higher, which served as a cutoff for what we operationally define as high PTSS. Limitations of these strategies are noted in the Discussion section. In addition to this PTSS measure, the survey also included the GAD-7 questions for anxiety (Spitzer et al., 2006) and the PHQ-8 questions for depression (Kroenke et al., 2009).

Demographics

Of the survey respondents, 68% were women and 3% were trans or nonbinary. Participants could select from specific racial and ethnic categories, including an option to self-identify. Of our respondents, 24% were classified as U.S. domestic students who identified as Alaska Native/Native American, Black/African American, and/or Hispanic/Latinx. Asian Americans made up 9% of respondents. We also grouped respondents who self-identified as "international students" (14%) and respondents who did not select yes to this item were assumed domestic. Other information collected included respondent age ($M=29.3$, $SD=7.2$); respondents who were married or living with a partner (44%); respondents with a low household income (46%, defined as less than \$30,000); respondents who were parents or caretakers (17%); respondents who were first-generation college students (24%, defined as not having a parent with a bachelor's degree or higher); respondents classified as STEM students (45%); and respondents earning a Ph.D. (50%), master's (45%), or other professional degree (5%).

Table 1: Variable Means for Items Included in Full Regression Model

Demographics	<i>M</i>
Woman ¹	0.68
Transgender ¹	0.03
Alaska Native/Native American, Black/African American, and/or Hispanic/Latinx ²	0.23
Asian American ²	0.09
International student	0.14
Age	29.38
Married	0.44
Low income (below \$30,000)	0.45
Parent	0.18
First generation	0.24
STEM	0.44
Ph.D. ²	0.46
Other degree ²	0.05
<hr/>	
Personal disruptions due to COVID-19	<i>M</i>
COVID-19 risk to self	0.12
Around others at risk for COVID-19	0.20
Lost someone due to COVID-19	0.03
Food insecurity	0.30
Housing insecurity	0.30
Did not move house	0.80
<hr/>	
Educational disruptions due to COVID-19	<i>M</i>
Extended timeline to degree	0.42
Changed career plans	0.16
Pessimism toward career options	1.73
<hr/>	
Perceptions of institutional policy and support	<i>M</i>
Graduate policy communication ⁵	2.30
Graduate policy supportiveness ⁵	2.08
Graduate policy inclusivity ⁵	2.20
Advisor health support ⁶	2.92
Graduate policy communication ⁷	2.21

Note.

¹Reference category: Men, ²Reference category: White, ³Reference category: Master's Degree, ⁴Likert-type, five-point scale: Very optimistic (0) to Very pessimistic (4), ⁵Composite factor average: Strongly disagree (0) to Strongly agree (4), ⁶Likert-type, five-point scale: Very unsupported (0) to Very supported (4), ⁷Composite factor average: Very unsupported (0) to Very supported (4)

Personal Disruptions Due to COVID-19

Respondents answered questions about personal disruptions due to COVID-19, including: whether they would be in a high-risk category for negative outcomes if they were to contract COVID-19, live with or regularly interact with someone who is in a high-risk category for negative outcomes, or had lost someone close due to COVID-19 (yes, no); whether they worried that food would run out before they could afford to buy more, and if they worried about having secure housing options (never true, sometimes true, often true); and whether they had changed residence since their institution implemented COVID-19-related policies (yes, no). Table 1 contains psychometric data for these measures.

Educational Disruptions Due to COVID-19

Respondents were asked about personal disruptions due to COVID-19, including: whether they had adjusted their timeline for degree completion since the pandemic began (yes, no); whether their career plan had changed (yes, no); and, in general, how they felt about the conditions for pursuing their current career goal after degree completion (very optimistic, optimistic, neither optimistic nor pessimistic, pessimistic, and very pessimistic). Table 1 contains psychometric data for these measures.

Perceptions of Institutional Policy and Advisor Support

Three composite measures were constructed from separate survey questions on students' perceptions of graduate-level policy: one measure on graduate policy communication, a second on the extent to which students felt supported by the graduate policy, and a third on graduate policy inclusiveness. Each measure was composed of three survey questions, and we performed exploratory and confirmatory factor analyses to ensure the items loaded together in consistent conceptual groups (DeVellis, 2016). Table 1 contains psychometric data for these measures. The wording for questions on personal disruptions, educational disruptions, perceptions of institutional policy, and advisor support was not validated.

Analysis

We built OLS regression models for PTSS using Mplus, Version 8.4 (Muthén & Muthén, 2017). The data met all assumptions required for the use of OLS. In the first stage, we entered variables in blocks according to our conceptual groups: demographics, personal and educational disruptions due to COVID-19, and perceptions of institutional policy and advisor support. Missing data were handled using multiple imputation, missing continuous and dichotomous variables were imputed, and missing demographic data were listwise deleted (Allison, 2005). Following imputation, our analytic sample for the overall model contained 2,529 graduate students. The overall model had an adjusted R^2 of 27% (Table 4).

After running the initial model, we selected items that were either statistically or practically significant ($p < 0.01$) to include in a parsimonious model. The results from

this model may be more useful to campus administrators as they focus their actions. The exception was one variable, Asian American, which was retained because it was included in our racial/ethnic identity dichotomous variables. We did not find any significant interactions between demographic variables and other variables of interest.

Table 4: Initial Full, Blocked Regression Model; Post-traumatic Stress Symptoms (PTSS) Score Outcome

	Model est.	SE	p	β	Rate of missing
Intercept	21.848	2.095	0.000	1.277	0.009
Demographics	Model est.	SE	p	β	Rate of missing
Woman	5.195	0.663	0.000	0.142	0.006
Transgender	8.968	1.873	0.000	0.085	0.002
Alaska Native/Native American, Black/African American, and/or Hispanic/Latinx	1.449	0.748	0.053	0.036	0.003
Asian American	0.387	1.226	0.752	0.007	0.003
International student	1.408	1.082	0.193	0.028	0.005
Age	-0.042	0.047	0.375	-0.018	0.007
Married	-0.130	0.673	0.846	-0.004	0.003
Low income (below \$30,000)	-0.755	0.681	0.268	-0.022	0.003
Parent	-1.093	0.886	0.217	-0.024	0.001
First generation	-0.262	0.690	0.705	-0.007	0.001
STEM	0.246	0.628	0.696	0.007	0.004
Ph.D.	-0.773	0.668	0.247	-0.023	0.006
Other degree	-1.755	1.359	0.197	-0.023	0.003
Personal disruptions due to COVID-19	Model est.	SE	p	β	Rate of missing
COVID-19 risk to self	3.556	0.921	0.000	0.068	0.005
Around others at risk for COVID-19	1.360	0.763	0.075	0.032	0.003
Lost someone due to COVID-19	7.554	1.627	0.000	0.080	0.002
Food insecurity	4.979	0.617	0.000	0.170	0.014
Housing insecurity	3.507	0.629	0.000	0.119	0.030
Did not move house	0.034	0.756	0.964	0.001	0.006
Educational disruptions due to COVID-19	Model est.	SE	p	β	Rate of missing
Extended timeline to degree	3.227	0.672	0.000	0.093	0.077
Changed career plans	2.443	0.858	0.004	0.052	0.004

	2.093	0.295	0.000	0.142	0.002
Perceptions of institutional policy & support	Model est.	SE	p	β	Rate of missing
Pessimism toward career options					
Graduate policy communication	0.066	0.461	0.886	0.004	0.002
Graduate policy supportiveness	-2.085	0.498	0.000	-0.115	0.007
Graduate policy inclusivity	-0.728	0.502	0.147	-0.042	0.008
Advisor health support	-0.590	0.276	0.033	-0.040	0.042

RESULTS

Table 1 summarizes the mean values for items included in the full regression model. Sixty-eight percent of the sample identified as women; 23% identified as Alaska Native/Native American, Black/African American, and/or Hispanic/Latinx; and 12% had a health condition that put them at additional risk for negative outcomes if they contracted COVID-19. The average age was 29 years. For educational disruptions due to COVID-19, 42% expected an extended timeline for their degree, and 16% had changed their career plans. Students’ perceptions of institutional policy and support varied, with advisors perceived as more supportive than graduate policy.

Prevalence of PTSS

Table 2 shows the post-hoc comparison of racial/ethnic and gender groups meeting the cutoff for high PTSS (i.e., a PCL-5 score of 33 or higher). Overall, 31% of respondents indicated experiences consistent with high PTSS. We examined the extent to which prevalence differed by gender and race/ethnicity since prior studies have shown that students with marginalized identities are often already struggling with existing inequalities (Figueroa & Hurtado, 2013; Gildersleeve et al., 2011; Ong et al., 2011; Burt et al., 2019; Perez et al., 2020; Posselt, 2020). High levels of PTSS were more prevalent among women (34%) and trans or nonbinary (54%) students as compared to men (26%). In terms of differences by race/ethnicity, high PTSS levels were most prevalent among Alaska Native/Native American, Black/African American, and/or Hispanic/Latinx (37%) students and Asian American (37%) students, with 29% of White students reporting high PTSS.

Table 2: Post-hoc Comparison of Gender and Racial/Ethnic Groups Meeting the High Post-traumatic Stress Symptoms (PTSS) Screen Threshold

Gender	% ¹	p
Men (reference)	26	
Women	34	0.000

Transgender	54	0.000
Race/ethnicity	% ¹	<i>p</i>
White (reference)	29	
Alaska Native/Native American, Black/African American, and/or Hispanic/Latinx	37	0.001
Asian American	37	0.014

Note. ¹ 31% of the sample met the threshold for high PTSS screen

Table 3 shows the percent meeting the cutoff for high PTSS by race and gender combinations. For men, the fraction of White students with high PTSS is lowest than for all other ethnicities. Among all race and gender combinations, high PTSS levels were least prevalent among White men. Trans students had higher PTSS than other genders with the same ethnicity, although the sample size is small. White women had lower PTSS than women of all other ethnicities, except for Black/African American women. Perhaps this result is related to the Black-White paradox in mental health (Kessler et al., 1994; Louie et al., 2021). Multiracial and Asian American women reported higher PTSS than multiracial and Asian American men and the highest rates of PTSS of any ethnic groups for women.

Table 3: Percent Meeting Cutoff for High PTSS by Race and Gender Combinations

	Man	Woman	Trans
Alaska Native/Native American	37%	35%	100%
Asian American	30%	42%	58%
Black/African American	38%	29%	50%
Hispanic/Latinx	29%	37%	100%
South Asian	38%	42%	100%
White	21%	31%	50%
2 categories or more	26%	41%	60%

Factors Associated with PTSS in Graduate Students

The parsimonious OLS regression model (Table 5) had an adjusted R² of 27%. The parsimonious model variables are displayed in Figure 1 as standardized coefficients (β) in order of magnitude according to their relationship with PTSS scores. Food and housing insecurity were among the strongest predictors of increased PTSS ($\beta=0.165$ and $\beta=0.131$, respectively). Among educational disruptions due to the pandemic, graduate students who felt more pessimistic about their chosen career

paths experienced greater PTSS ($\beta=0.142$). Women and trans or nonbinary graduate students reported greater PTSS than men, and Alaska Native/Native American, Black/African American, and/or Hispanic/Latinx graduate students reported greater PTSS than White students.

Table 5: Parsimonious, Blocked Regression Model; Post-traumatic Stress Symptoms (PTSS) Score Outcomes

	Model est.	SE	<i>p</i>	β	Rate of missing
Intercept	19.119	1.272	0.000	1.104	0.014
Demographics	Model est.	SE	<i>p</i>	β	Rate of missing
Woman	5.090	0.616	0.000	0.137	0.005
Transgender	10.581	1.798	0.000	0.097	0.003
Alaska Native/Native American, Black/African American, and/or Hispanic/Latinx	2.148	0.668	0.001	0.054	0.008
Asian American	0.938	0.958	0.328	0.017	0.007
Personal disruptions due to COVID-19	Model est.	SE	<i>p</i>	β	Rate of missing
COVID-19 risk to self	2.914	0.874	0.001	0.054	0.003
Around others at risk for COVID-19	1.624	0.717	0.024	0.037	0.003
Lost someone due to COVID-19	6.088	1.513	0.000	0.064	0.004
Food insecurity	4.745	0.568	0.000	0.165	0.038
Housing insecurity	3.766	0.570	0.000	0.131	0.021
Educational disruptions due to COVID-19	Model est.	SE	<i>p</i>	β	Rate of missing
Extended timeline to degree	3.052	0.641	0.000	0.087	0.156
Changed career plans	2.703	0.790	0.001	0.058	0.004
Pessimism toward career options	2.126	0.271	0.000	0.142	0.014
Perceptions of institutional policy & support	Model est.	SE	<i>p</i>	β	Rate of missing
Graduate policy supportiveness	-2.439	0.330	0.000	-0.132	0.009
Advisor health support	-0.815	0.249	0.001	-0.054	0.026

Graduate students who perceived high levels of support from campus personnel and policies reported fewer PTSS. Students who perceived graduate-level policy changes as a result of the pandemic to be supportive of their physical, emotional, and economic well-being also reported fewer PTSS ($\beta=-0.132$). Further, graduate students who felt proximal support of their mental and physical well-being from their faculty advisors also experienced fewer PTSS ($\beta=-0.054$).




Figure 1. Standardized Estimates of Parsimonious Model Variables

DISCUSSION

This study increases our understanding of the impact of the COVID-19 pandemic on graduate students. The pandemic has radically disrupted our society, including the scientific enterprise. Attention has been paid, for example, to the unequal effects of COVID-19 on women scientists (Myers et al., 2020), the impact of the pandemic on higher education (Martinez & Nguyen, 2020), and the need to prioritize mental health research to understand and attend to the social, psychological, and neuroscientific effects of the crisis (Holmes et al., 2020).

Building on this work, we assessed the extent to which graduate students in the midst of this pandemic exhibited PTSS. Additionally, we examined which groups of students experienced PTSS at higher levels, under what circumstances students reported worse symptoms, and which factors might help protect students. Three core findings emerged from our analysis. First, approximately one third of the graduate students in our sample met the cutoff threshold for high PTSS. As with prior research (Goldstein et al., 2016; Reisner et al., 2016; Roberts et al., 2011; Tolin & Foa, 2006), women and trans or nonbinary respondents were more likely to report symptoms, as were members of historically marginalized racial groups. Second, our regression models explained a large percentage of the variance of PTSS (27%). COVID-19-related disruptions at both the personal and educational levels, along with demographics and perceptions of institutional policy and support, had a sizable and significant association with PTSS. Third, risk and protective factors emerged. Food and housing insecurity, pessimism toward career options, and being a woman were predictors of PTSS. Perceiving graduate-level pandemic policy changes to be supportive of physical, emotional, and economic well-being was associated with fewer PTSS, as was the support of mental and physical well-being from graduate advisors.

It is important to recognize some of the study's limitations. First, this is an observational study that does not test causal effects or temporal order. The data are self-reported and cross-sectional. Using the PCL-5 as a self-reported screening instrument for PTSS (rather than using clinical or diagnostic interviews for assessing PTSD, for example) allowed us to quickly and inexpensively capture a snapshot of graduate student mental health during a critical time. Our results based on the PCL-5, however, should be interpreted with caution because a provisional diagnosis of PTSD cannot be made without the endorsement of a Criterion A trauma, which we did not assess (see also Jordan et al., 2019), though it is worth noting that others have argued that living through the pandemic is in itself a trauma (Ribeiro, 2020; Taylor, 2020). Instead, we use the terms stressor (rather than trauma) and PTSS (instead of PTSD) to indicate cases with scores above 33 on the PCL-5 to help clarify that there is no PTSD diagnosis due to the lack of probing for a Criterion A trauma. There is an extensive debate around the use of Criterion A (Franklin et al., 2019; Pai et al., 2017; Weathers & Keane, 2007). Without a Criterion A trauma, Gold et al. (2005) argued that scores may be inflated. Conversely, Franklin et al. (2019) reported higher scores with its use. In addition, the PCL-5 asks respondents to think about the most stressful event experienced in the past month (Weathers et al., 2013). This means that although we assessed for PTSS during the pandemic, symptoms may not necessarily be due to the pandemic. It is possible that some respondents already had PTSS before the pandemic.

Second, the response rate was 6.7%, and it is likely that the results do not represent all graduate students. That said, we successfully sampled 12 different universities, including one historically Black university and two Hispanic-serving institutions, located in states with relatively divergent policy responses to the pandemic. Third, the study did not include a comparison group. Future research might consider comparing graduate students to a developmentally or age-similar cohort. This would allow researchers to better isolate the disruptive and potentially traumatic

effects of the graduate school experience from other adversities or crises. Although graduate students often report poor mental health (Evans et al., 2018; Levecque et al., 2017), prior research also shows that being younger in age, a potential confound, is positively correlated with PTSD symptoms (Goldstein et al., 2016). Likewise, research shows that young adults in particular are at high risk for COVID-19-related distress (McGinty et al., 2020).

Implications

PTSD has long been associated with a host of negative outcomes (McFarlane, 2010; Pacella et al., 2013; Qureshi et al., 2011; Yehuda et al., 2015). The core conclusion drawn from this research is that, as we emerge from the COVID-19 pandemic and its extended aftermath, graduate students who report PTSS will likely experience long-term consequences. What could a trauma-informed graduate education look like? Using our results, together with the guiding principles for trauma support suggested by the CDC (2020), some implications for universities are to: 1) strengthen safety and trust, 2) build community and peer support, and 3) empower graduate students.

Institutions can strengthen safety and trust through targeted and accessible economic support, such as food and childcare assistance along with direct funding, especially since housing and food insecurity were strongly correlated with PTSS (Table 1). These interventions must attend to the differential impacts on women and trans or nonbinary students, as well as those from historically marginalized racial groups. Additionally, institutions should include graduate students explicitly in university communications, given that their unclear status as students or employees contributes to uncertainty. Universities can amplify the work of faculty and staff who are exemplars of student support. Faculty and mentors should also receive professional development to learn that potentially traumatized students may have difficulty regulating their responses to stress. The second category of trauma-informed graduate education is to create opportunities for peer support and other forms of sustained social connection and community, such as peer mentoring (Lorenzetti et al., 2019) and discussion groups within research teams (Turner, 2006; Crede & Borrego, 2012), among teaching assistants (Linenberger et al., 2014), and within and across departments (Odom et al., 2016). The final category is to empower graduate students by, for example, prioritizing what is needed to complete their degree (Burian et al., 2010; Ewing et al., 2012), allowing students the flexibility necessary to demonstrate learning outcomes, hosting career workshops with virtual alumni panels (Ashline, 2017), and supporting and compensating graduate students who engage in professional organizations (Gardner & Barnes, 2007) or act as change agents working to improve their departments or on institutional projects related to food, housing, and anti-racism (Lantz et al., 2016). Although more research is needed to document the potential benefits of trauma-informed practice (Broomfield et al., 2020), we believe these approaches based on our research and the CDC's (2020) guiding principles can be used to improve the psychological safety and educational success of graduate students during and after the COVID-19 pandemic.

CONCLUSION

We found that 31% of graduate student respondents described symptoms consistent with post-traumatic stress, defined as experiencing strong reactions on an ongoing basis to events they would usually take in stride. Women students and those from historically marginalized racial groups reported more pronounced PTSS than men and White students. Combined with the CDC's trauma guidelines, our results provide a basis for university leaders' actions to support graduate students. This support includes readily accessible food and housing assistance, institution-wide policies that facilitate effective advising, and enhanced student agency via career planning.

REFERENCES

- Adams, R. E., & Boscarino, J. A. (2006). Predictors of PTSD and delayed PTSD after disaster: The impact of exposure and psychosocial resources. *Journal of Nervous and Mental Disease, 194*(7), 485–493. <https://doi.org/10/ffvjfr>
- Allen, H. K., Lilly, F., Green, K. M., Zanjani, F., Vincent, K. B., & Arria, A. M. (2020). Substance use and mental health problems among graduate students: Individual and program-level correlates. *Journal of American College Health, 70*(1), 1–9. <https://doi.org/10/gjn3kb>
- Allison, P. D. (2005). Imputation of categorical variables with PROC MI. *SUGI 30 Proceedings, 113*(30), 1–14. https://www.researchgate.net/publication/255624476_Imputation_of_categorical_variables_with_PROC_MI
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). <https://doi.org/vw9>
- Ashline, G. (2017). Real-world examples: Developing a departmental alumni network. *Primus, 27*(6), 598–605.
- Bal, I. A., Arslan, O., Budhrani, K., Mao, Z., Novak, K., & Muljana, P. S. (2020). The balance of roles: graduate student perspectives during the COVID-19 pandemic. *TechTrends: For Leaders in Education & Training, 64*(6), 796–798. <https://doi.org/10/gjqtj4>
- Beaglehole, B., Mulder, R. T., Frampton, C. M., Boden, J. M., Newton-Howes, G., & Bell, C. J. (2018). Psychological distress and psychiatric disorder after natural disasters: Systematic review and meta-analysis. *The British Journal of Psychiatry, 213*(6), 716–722. <https://doi.org/10/gfdh62>
- Blevins, C. A., Weathers, F. W., Davis, M. T., Witte, T. K., & Domino, J. L. (2015). The posttraumatic stress disorder checklist for DSM-5 (PCL-5): Development and initial psychometric evaluation. *Journal of Traumatic Stress, 28*(6), 489–498. <https://doi.org/10/f72jcr>
- Bloomfield, M. A. P., Yusuf, F. N. I. B., Srinivasan, R., Kelleher, I., Bell, V., & Pitman, A. (2020). Trauma-informed care for adult survivors of developmental trauma with psychotic and dissociative symptoms: A systematic review of intervention studies. *The Lancet Psychiatry, 7*(5), 449–462. <https://doi.org/10/gjzb7g>

- Burian, P. E., Rogerson, L., & Maffei III, F. S. (2010). The research roadmap: A primer to the approach and process. *Contemporary Issues in Education Research (CIER)*, 3(8), 43–58. <https://doi.org/10.19030/cier.v3i8.226>
- Burt, B. A., Williams, K. L., & Palmer, G. J. M. (2019). It takes a village: The role of emic and etic adaptive strengths in the persistence of Black men in engineering graduate programs. *American Educational Research Journal*, 56(1), 39–74. <https://doi.org/10/gd32fn>
- Centers for Disease Control and Prevention. (2020, September 17). *Infographic: 6 guiding principles to a trauma-informed approach*. https://www.cdc.gov/cpr/infographics/6_principles_trauma_info.htm
- Chirikov, I., Soria, K. M., Horgos, B., & Jones-White, D. (2020). *Undergraduate and graduate students' mental health during the COVID-19 pandemic* (SERU Consortium Reports). SERU Consortium, University of California, Berkeley and University of Minnesota. <https://escholarship.org/uc/item/80k5d5hw>
- Council of Graduate Schools & The Jed Foundation. (2021). Supporting graduate student mental health and well-being: Evidence-informed recommendations for the graduate community. The Authors. <https://jedfoundation.org/wp-content/uploads/2021/04/CGS-JED-Grad-Student-Mental-Health-Report.pdf>
- Crede, E., & Borrego, M. (2012). Learning in graduate engineering research groups of various sizes. *Journal of Engineering Education*, 101(3), 565–589. <https://doi.org/10.1002/j.2168-9830.2012.tb00062.x>
- d’Ettorre, G., Ceccarelli, G., Santinelli, L., Vassalini, P., Innocenti, G. P., Alessandri, F., Koukopoulos, A. E., Russo, A., d’Ettorre, G., & Tarsitani, L. (2021). Post-traumatic stress symptoms in healthcare workers dealing with the COVID-19 pandemic: A systematic review. *International Journal of Environmental Research and Public Health*, 18(2), 601. <https://doi.org/10/gh4rp7>
- Davidson, S. (2017). *Trauma-informed practices for postsecondary education: A guide*. Education Northwest. <https://educationnorthwest.org/resources/trauma-informed-practices-postsecondary-education-guide>
- DeVellis, R. F. (2016). *Scale development: Theory and applications* (4th ed.). SAGE Publications.
- Doughty, K. (2020). Increasing trauma-informed awareness and practice in higher education. *Journal of Continuing Education in the Health Professions*, 40(1), 66–68. <https://doi.org/10/gn2n48>
- Eisenberg, D., Hunt, J., & Speer, N. (2013). Mental health in American colleges and universities. *Journal of Nervous & Mental Disease*, 201(1), 60–67. <https://doi.org/10/f4jj24>
- Evans, T. M., Bira, L., Gastelum, J. B., Weiss, L. T., & Vanderford, N. L. (2018). Evidence for a mental health crisis in graduate education. *Nature Biotechnology*, 36(3), 282–284. <https://doi.org/10/gdjccv>
- Ewing, H., Mathieson, K., Alexander, J. L., & Leafman, J. (2012). Enhancing the acquisition of research skills in online doctoral programs: The Ewing model©. *Journal of Online Learning and Teaching*, 8(1), 34.
- Figuroa, T., & Hurtado, S. (2013). *Underrepresented racial and/or ethnic minority (URM) graduate students in STEM disciplines: A critical approach to understanding graduate school experiences and obstacles to degree progression*.

- Association for the Study of Higher Education and University of California, Los Angeles. <https://heri.ucla.edu/nih/downloads/ASHE2013-URM-Grad-Students-in-STEM.pdf>
- Franklin, C., Raines, A. M., & Hurlocker, M. C. (2019). No trauma, no problem: Symptoms of posttraumatic stress in the absence of a criterion stressor. *Journal of Psychopathology and Behavioral Assessment*, 41(1), 107–111. <https://doi.org/10/gn2n49>
- Garcia-Williams, A. G., Moffitt, L., & Kaslow, N. J. (2014). Mental health and suicidal behavior among graduate students. *Academic Psychiatry*, 38(5), 554–560. <https://doi.org/10/f6hvpd>
- Gardner, S.K., & Barnes, B.J. (2007). Graduate student involvement: Socialization for the professional role. *Journal of College Student Development* 48(4), 369–387. <http://doi.org/10.1353/csd.2007.0036>
- Gildersleeve, R. E., Croom, N. N., & Vasquez, P. L. (2011). “Am I going crazy?!”: A critical race analysis of doctoral education. *Equity & Excellence in Education*, 44(1), 93–114. <https://doi.org/10/bg2qpx>
- Gold, S. D., Marx, B. P., Soler-Baillo, J. M., & Sloan, D. M. (2005). Is life stress more traumatic than traumatic stress? *Journal of Anxiety Disorders*, 19(6), 687–698. <https://doi.org/10/cfqw4j>
- Goldstein, R. B., Smith, S. M., Chou, S. P., Saha, T. D., Jung, J., Zhang, H., Pickering, R. P., Ruan, W. J., Huang, B., & Grant, B. F. (2016). The epidemiology of DSM-5 posttraumatic stress disorder in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions-III. *Social Psychiatry and Psychiatric Epidemiology*, 51(8), 1137–1148. <https://doi.org/10/g5wr>
- Hallett, R. E., Westland, M. A., & Mo, E. (2018). A trauma-informed care approach to supporting foster youth in community college. *New Directions for Community Colleges*, 2018(181), 49–58. <https://doi.org/10/gn3cdt>
- Hoch, A., Stewart, D., Webb, K., & Wyandt-Hiebert, M. A. (2015, May). Trauma-informed care on a college campus [Conference session]. American College Health Association 2018 Conference, Orlando, FL, United States.
- Holmes, E. A., O’Connor, R. C., Perry, V. H., Tracey, I., Wessely, S., Arseneault, L., Ballard, C., Christensen, H., Cohen, S. R., Everall, I., Ford, T., John, A., Kabir, T., King, K., Madan, I., Michie, S., Przybylski, A. K., Shafran, R., Sweeney, A., ... Bullmore, E. (2020). Multidisciplinary research priorities for the COVID-19 pandemic: A call for action for mental health science. *The Lancet. Psychiatry*, 7(6), 547–560. <https://doi.org/10/ggszmj>
- Hyun, J. K., Quinn, B. C., Madon, T., & Lustig, S. (2006). Graduate student mental health: Needs assessment and utilization of counseling services. *Journal of College Student Development*, 47(3), 247–266. <https://doi.org/10/bh2h7f>
- Janson, M., Sharkey, J. D., & Del Cid, D. A. (2021). Predictors of mental health outcomes in grocery store workers amid the COVID-19 pandemic and implications for workplace safety and moral injury. *International Journal of Environmental Research and Public Health*, 18(16), 8675. <https://doi.org/10/gm628d>
- Jones-White, D. R., Soria, K. M., Tower, E. K. B., & Horner, O. G. (2020). Factors associated with anxiety and depression among US doctoral students: Evidence

- from the gradSERU survey. *Journal of American College Health*. Advance online publication. <https://doi.org/10/gk3dny>
- Jordan, H. R., Madson, M. B., Nicholson, B. C., Bravo, A. J., Pearson, M. R., & Protective Strategies Study Team. (2019). Posttraumatic stress disorder symptoms and problematic alcohol use in college students: The moderating role of alcohol protective behavioral strategies and gender. *Psychological Trauma: Theory, Research, Practice and Policy*, *11*(3), 247–255. <https://doi.org/10/ghnd>
- Kee, C. E. (2021). The impact of COVID-19: Graduate students' emotional and psychological experiences. *Journal of Human Behavior in the Social Environment*, *31*(1–4), 476–488. <https://doi.org/10/gn3cdy>
- Kendall-Tackett, K. (2009). Psychological trauma and physical health: A psychoneuroimmunology approach to etiology of negative health effects and possible interventions. *Psychological Trauma: Theory, Research, Practice, and Policy*, *1*(1), 35–48. <https://doi.org/10/ccxvx8>
- Kessler, R. C., McGonagle, K. A., Zhao, S., Nelson, C. B., Hughes, M., Eshleman, S., Wittchen, H.U., & Kendler, K. S. (1994). Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States: Results from the National Comorbidity Survey. *Archives of General Psychiatry*, *51*(1), 8-19. <https://doi.org/10.1001/archpsyc.1994.03950010008002>
- Kroenke, K., Strine, T. W., Spitzer, R. L., Williams, J. B. W., Berry, J. T., & Mokdad, A. H. (2009). The PHQ-8 as a measure of current depression in the general population. *Journal of Affective Disorders*, *114*(1–3), 163–173. <https://doi.org/10/d4rhch>
- Lantz, M. M., Fix, R. L., Davis, B. L., Harrison, L. N., Oliver, A., Crowell, C., ... & García, J. J. (2016). Grad students talk: Development and process of a student-led social justice initiative. *Journal of Diversity in Higher Education*, *9*(3), 290. <https://doi.org/10.1037/dhe0000033>
- Levecque, K., Anseel, F., De Beuckelaer, A., Van der Heyden, J., & Gisle, L. (2017). Work organization and mental health problems in PhD students. *Research Policy*, *46*(4), 868–879. <https://doi.org/10/b4wm>
- Levine, F. J., Nasir, N. S., Rios-Aguilar, C., Gildersleeve, R. E., Rosich, K. J., Bang, M., Bell, N. E., & Holsapple, M. A. (2021). Voices from the field: The impact of COVID-19 on early career scholars and doctoral students [Focus group study report]. American Educational Research Association; Spencer Foundation. <https://doi.org/10.3102/aera20211>
- Linenberger, K., Slade, M. C., Addis, E. A., Elliott, E. R., Mynhardt, G., & Raker, J. R. (2014). Training the foot soldiers of inquiry: Development and evaluation of a graduate teaching assistant learning community. *Journal of College Science Teaching*, *44*(1), 97–107. <http://www.jstor.org/stable/43631783>
- Lorenzetti, D. L., Shipton, L., Nowell, L., Jacobsen, M., Lorenzetti, L., Clancy, T., & Paolucci, E. O. (2019). A systematic review of graduate student peer mentorship in academia. *Mentoring & Tutoring: Partnership in Learning*, *27*(5), 549-576. <https://doi.org/10.1080/13611267.2019.1686694>
- Louie, P., Upenieks, L., Erving, C. L., & Thomas Tobin, C. S. (2021). Do racial differences in coping resources explain the Black–White paradox in mental

- health? A test of multiple mechanisms. *Journal of Health and Social Behavior*. Advance online publication. <https://doi.org/10.1177/00221465211041031>
- Lynch, J. (2021). Traumatic stress responses in North Carolina K-12 educators during the COVID-19 pandemic. *Journal of Applied Educational and Policy Research*, 6(1), 19-29.
- Mackie, S. A., & Bates, G. W. (2018). Contribution of the doctoral education environment to PhD candidates' mental health problems: A scoping review. *Higher Education Research & Development*, 38(3), 565–578. <https://doi.org/10/gf4zcn>
- Marinoni, G., Van't Land, H., & Jensen, T. (2020). *The impact of Covid-19 on higher education around the world*. International Association of Universities. https://www.iau-aiu.net/IMG/pdf/iau_covid19_and_the_survey_report_final_may_2020.pdf
- Martinez, A., & Nguyen, S. (2020). *The impact of COVID-19 on college student well-being*. Healthy Mind Network and American College Health Association. <https://vtechworks.lib.vt.edu/bitstream/handle/10919/99741/2020ImpactCOVID19CollegeStudent.pdf>
- McFarlane, A. C. (2010). The long-term costs of traumatic stress: Intertwined physical and psychological consequences. *World Psychiatry: Official Journal of the World Psychiatric Association (WPA)*, 9(1), 3–10. <https://doi.org/10/gn2n5b>
- McGinty, E. E., Presskreischer, R., Anderson, K. E., Han, H., & Barry, C. L. (2020). Psychological distress and COVID-19-related stressors reported in a longitudinal cohort of us adults in April and July 2020. *JAMA*, 324(24), 2555–2557. <https://doi.org/10/ghrkrk>
- Muthén, L. K., & Muthén, B. (2017). *Mplus user's guide: Statistical analysis with latent variables*. Muthén & Muthén. <https://www.statmodel.com/HTML/UG/introV8.htm>
- Myers, K. R., Tham, W. Y., Yin, Y., Cohodes, N., Thursby, J. G., Thursby, M. C., Schiffer, P., Walsh, J. T., Lakhani, K. R., & Wang, D. (2020). Unequal effects of the COVID-19 pandemic on scientists. *Nature Human Behaviour*, 4(9), 880–883. <https://doi.org/10/gg47x5>
- Odom, S. F., Burbank, M., & Reed, D. W. (2016). An examination of a graduate learning community in a college of agriculture. *NACTA Journal*, 60(4), 398–404. <https://www.jstor.org/stable/90000487>
- Ogilvie, C., Brooks, T., Ellis, C., Gowen, G., Knight, K., Perez, R., Rodriguez, S., Schweppe, N., Smith, L., & Smith, R. (2020). *NSF rapid: Graduate student experiences of support and stress during the COVID-19 pandemic*. Montana State University. https://www.montana.edu/covid19_rapid/updated%20NSF_RAPID_GraduateStudentExperiences_Covid19_White_Paper.pdf
- Ong, M., Wright, C., Espinosa, L., & Orfield, G. (2011). Inside the double bind: A synthesis of empirical research on undergraduate and graduate women of color in science, technology, engineering, and mathematics. *Harvard Educational Review*, 81(2), 172–209. <https://doi.org/10/gewckp>

- Pacella, M. L., Hruska, B., & Delahanty, D. L. (2013). The physical health consequences of PTSD and PTSD symptoms: A meta-analytic review. *Journal of Anxiety Disorders*, 27(1), 33–46. <https://doi.org/10/f4mp5x>
- Pai, A., Suris, A. M., & North, C. S. (2017). Posttraumatic stress disorder in the DSM-5: Controversy, change, and conceptual considerations. *Behavioral Sciences*, 7(1), 7. <https://doi.org/10/gdjxrn>
- Perez, R. J., Robbins, C. K., Harris, L. W., Jr., & Montgomery, C. (2020). Exploring graduate students' socialization to equity, diversity, and inclusion. *Journal of Diversity in Higher Education*, 13(2), 133–145. <https://doi.org/10/gj2wfg>
- Posselt, J. R. (2020). *Equity in science: Representation, culture, and the dynamics of change in graduate education*. Stanford University Press. <https://doi.org/hb65>
- Qureshi, S. U., Long, M. E., Bradshaw, M. R., Pyne, J. M., Magruder, K. M., Kimbrell, T., Hudson, T. J., Jawaid, A., Schulz, P. E., & Kunik, M. E. (2011). Does PTSD impair cognition beyond the effect of trauma? *Journal of Neuropsychiatry*, 23(1), 16–28. <https://doi.org/10/b9zqhq>
- Reisner, S. L., White Hughto, J. M., Gamarel, K. E., Keuroghlian, A. S., Mizock, L., & Pachankis, J. E. (2016). Discriminatory experiences associated with posttraumatic stress disorder symptoms among transgender adults. *Journal of Counseling Psychology*, 63(5), 509–519. <https://doi.org/10/f89b2j>
- Ribeiro, A. M. (2020, April 20). The coronavirus pandemic is a collective trauma experience. *NIH Office of Intramural Training & Education OITE Career Blog*. <https://oitecareersblog.od.nih.gov/2020/04/20/the-coronavirus-pandemic-is-a-collective-trauma-experience/>
- Roberts, A. L., Gilman, S. E., Breslau, J., Breslau, N., & Koenen, K. C. (2011). Race/ethnic differences in exposure to traumatic events, development of post-traumatic stress disorder, and treatment-seeking for post-traumatic stress disorder in the United States. *Psychological Medicine*, 41(1), 71–83. <https://doi.org/10/b8chwf>
- Sahu, P. (2020). Closure of universities due to coronavirus disease 2019 (COVID-19): Impact on education and mental health of students and academic staff. *Cureus*, 12(4), e7541. <https://doi.org/10/ggq9zm>
- Spitzer, R. L., Kroenke, K., Williams, J. B. W., & Löwe, B. (2006). A brief measure for assessing generalized anxiety disorder. *Archives of Internal Medicine*, 166(10), 1092. <https://doi.org/10/d7z8rz>
- Stewart, D.W., Davoren, A.K., Neumeister, J.R., Knepler, E., Grigorian, K., & Greene, A. (2021). Graduate schools respond to COVID-19: Promising pathways to innovation and sustainability in STEM education. NORC. <https://www.norc.org/PDFs/Graduate%20Studies%20COVID/Graduate%20Schools%20Respond%20to%20COVID-19%20Executive%20Summary.pdf>
- Taylor, M. (2020). Collective trauma and the relational field. *Humanistic Psychologist*, 48(4), 382–388. <https://doi.org/10/gn2n5c>
- Tolin, D. F., & Foa, E. B. (2006). Sex differences in trauma and posttraumatic stress disorder: A quantitative review of 25 years of research. *Psychological Bulletin*, 132(6), 959–992. <https://doi.org/10/dgfpqs>

- Turner, M. M. (2006). The research team concept, II:(Still) an approach to graduate training. *Communication Research Reports*, 23(3), 225-230. <https://doi.org/10.1080/08824090600796443>
- Weathers, F. W., & Keane, T. M. (2007). The criterion a problem revisited: Controversies and challenges in defining and measuring psychological trauma. *Journal of Traumatic Stress*, 20(2), 107–121. <https://doi.org/10/drip8j>
- Weathers, F. W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2013). *The PTSD checklist for DSM-5 (PCL-5)*. www.ptsd.va.gov
- Woolston, C. (2017). Graduate survey: A love–hurt relationship. *Nature*, 550(7677), 549–552. <https://doi.org/10/gfn8bh>
- Woolston, C. (2019). PhDs: The tortuous truth. *Nature*, 575(7782), 403–406. <https://doi.org/10/ggczmd>
- Wortmann, J. H., Jordan, A. H., Weathers, F. W., Resick, P. A., Dondanville, K. A., Hall-Clark, B., Foa, E. B., Young-McCaughan, S., Yarvis, J. S., Hembree, E. A., Mintz, J., Peterson, A. L., & Litz, B. T. (2016). Psychometric analysis of the PTSD Checklist-5 (PCL-5) among treatment-seeking military service members. *Psychological Assessment*, 28(11), 1392–1403. <https://doi.org/10/f9gcfb>
- Wyatt, T., & Oswalt, S. B. (2013). Comparing mental health issues among undergraduate and graduate students. *American Journal of Health Education*, 44(2), 96–107. <https://doi.org/10/dmps>
- Yehuda, R., Hoge, C. W., McFarlane, A. C., Vermetten, E., Lanius, R. A., Nievergelt, C. M., Hobfoll, S. E., Koenen, K. C., Neylan, T. C., & Hyman, S. E. (2015). Post-traumatic stress disorder. *Nature Reviews Disease Primers*, 1(1). <https://doi.org/10/gjkh8m>

GARRET H. GOWEN, is a doctoral student in the School of Education at Iowa State University. Email: ggowen@iastate.edu

KELLY E. KNIGHT, PhD, is an associate professor in the Department of Sociology and Anthropology at Montana State University. Her research examines the impact of trauma exposures on adverse health and criminogenic outcomes. Email: kelly.knight3@montana.edu

THOMAS R. BROOKS, PhD, is an assistant professor of psychology and co-director of the gender and women’s studies program at New Mexico Highlands University. He is the coordinator for the Human Connection Laboratory and his research and teaching focus on sexuality, gender, learning, technology, and education. Email: trbrooks@nmhu.edu

COLTER ELLIS, PhD, is an associate professor in the Department of Sociology and Anthropology at Montana State University. His research has examined animal agriculture, oil and gas extraction, and secondary trauma among victim service providers working in rural space. Email: colter.ellis@montana.edu

CRAIG A. OGILVIE, PhD, is the Dean of the Graduate School and Associate Vice-President of Research at Montana State University. A nuclear physics by discipline, his experiences as faculty and administrator have led to a passion for supporting

connections between research and graduate education, as well as leadership development of graduate students. Email: craig.ogilvie@montana.edu

ROSEMARY J. PEREZ, Ph. D., is an associate professor in the Center for the Study of Higher and Postsecondary Education at the University of Michigan. Her research interests include equitable graduate education, college student development, and intercultural learning. Email: perezrj@umich.edu

SARAH L. RODRIGUEZ, PhD, is an instructor in the Higher Education and Learning Technologies department at Texas A&M University-Commerce. Her research addresses issues of equity, access and retention in higher education, with a focus on community colleges, Latina/o/x students and students in science, technology, engineering and mathematics (STEM) fields.. Email: sarah.rodriquez@tamuc.edu

NINA SCHWEPPE, is program manager and faculty instructor in the College of Letters & Science at Montana State University. Email: nina.schweppe@montana.edu

LAURA L. SMITH, PhD, is an associate professor of physical therapy and associate director within the Department of Physical Therapy at the University of Michigan-Flint. She is an ABPTS Board Certified Orthopedic Clinical Specialist and is a Fellow of the American Academy of Orthopedic Manual Physical Therapists. Her interprofessional work focuses on educational innovation and authentic experiential learning with the goal of advancing the physical therapy profession, health and health outcomes. Email: llsm@umich.edu

RACHEL A. SMITH, PhD, is an assistant professor of Higher Education and Student Affairs in the School of Education at Iowa State University. Her major research interests include issues related to postsecondary student transition, support, and success via relational networks. Email: rsmith2@iastate.edu
